



Technical Sensory Assessment

| | | |
|------------------|----------------|---------------------------------|
| Attention: | Brett Myces | Superbugs International Pty Ltd |
| Phone: | 08 8366 4129 | 108 Yeast Ave |
| Fax: | 08 8366 4130 | Agar North SA 5092 |
| Sample Received: | 15 March, 2012 | Report Date: 16 March, 2012 |

Product Assessed:

| Vintage | Description | Bottle / Lot n ^o |
|---------|-----------------------------------|-----------------------------|
| 2012 | Old Leather Horse Shiraz Cabernet | If supplied |

Technical Sensory Assessment n^o ACXXXXX, referring to the above product.

| Sensory attributes | Common sensory descriptors | Result |
|----------------------------|--|----------------|
| Acetic acid | Vinegar, acetic | Detected |
| Brettanomyces | Medicinal, leather, barnyard | Not Detected |
| Cork taint (chloranisoles) | Musty, mouldy | Not Detected |
| Ethyl acetate | Nail polish remover, solvent | Not Detected |
| Mousiness | Mouse urine, corn chips, rancid | Not Detected |
| Oxidation | Bruised apple, sherry, nutty | Not Detected |
| Plastic / Chemical | Chlorine, plastic, mothballs, daffodil | Not Detected |
| Reduced | Rotten egg, burnt rubber, sewage | Not Detected |
| Other | Insert other descriptors here | Not Applicable |

Sensory analysis conducted on the sample as received, in accordance with AWRI procedure SOP23.
This certificate may not be reproduced except in full.

The wine has been assessed for this common range of faults, under blind tasting conditions using standardised sensory evaluation procedures. The sample was presented to five tasters in a coded, covered XL5 (ISO standard) glass, in a randomised serving order with a constant volume of wine. The test was carried out in the Institute's purpose built sensory facility in isolated, temperature controlled tasting booths under constant lighting.

Sample analysed as received.

Name of laboratory: The Australian Wine Research Institute
Address of laboratory: Corner of Hartley Grove and Paratoo Road,
Urrbrae SA 5064

Date and place: 24 May 2012, Adelaide



AWRI

The Australian Wine Research Institute
ABN: 83 007 558 296
Commercial Services Laboratory
PO Box 197, Glen Osmond SA 5063
Phone: 08 8313 6600, Fax: 08 8313 6621
Web: www.awri.com.au

Signature of Responsible Official: Leanne Hoxey
Quality Systems and Laboratory Manager